| I. Patient Identification | (record | all dates a | as mm/dd/yy | уу) | | | | | | | | | |
|--|-----------------------|-------------------------------|---|-----------------------------|-------------------|---------------------|-----------------------|-------------|------------------------|---------|--|--|--|
| *First Name | ime | *Last Name | | | | | | La | ast Name Soundex | | | | |
| Alternate Name Type (example | e: Birth, Ca | ll Me) *Fi | rst Name | Name *Middle Name | | | | | *Last Name | | | | |
| Address Type Residential | ☐ Homeles | ss 🗆 Military | | *Current | Addres | ss, Street | | | | | Address Date | | |
| *Phone | City | | Co | unty | | | State/C | ountry | | | *ZIP Code | | |
| *Medical Record Number | | | * | *Other ID Type | | | | | *Number | | | | |
| | | | | , | - | | | | | | | | |
| U.S. Department of Health and Human Services | (Patients | aged <13 ye | ears at time of diagnosis) *In | perinatal ex formation N | posure OT tran | or patien | ts aged < | <13 years | at time of | | Centers for Disease Control and Prevention (CDC) | | |
| II. Health Department U Date Received at Health Depa | | (record a | | | | | | | | | D. NNNN-NNNN Exp. MM/DD/YYYY | | |
| / | rtment | | епапо и | eHARS Document UID | | | | | State Number | | | | |
| Reporting Health Dept—City/0 | County | | | С | ity/Cou | inty Num | ber | | | | | | |
| Document Source | | | Surveillan | ce Method | □ Activ | ⁄e □ Pa | ssive [| □ Follow ι | ıp 🗆 Re | abstra | action Unknown | | |
| Did this report initiate a new o | ase inves | tigation? | Report Me | | 1-:ll | □ 3-Fax | | 4 Dhana | | | ic transfer □ 6-CD/disk | | |
| III. Facility Providing In | formati | DID (1200011 | | /isit □ 2-N | | □ 3-Fax | kea 🗆 | 4-Phone | □ 5-EI€ | ectron | ic transfer U 6-GD/disk | | |
| Facility Name | iormatic | on (record | a all dates a | s mm/aa/y | ууу) | | | * | Phone | | | | |
| | | | | | | | | (|) | | | | |
| *Street Address | | | | | | | | | | | | | |
| City | Co | ounty | | | Stat | e/Countr | у | | | | *ZIP Code | | |
| Facility Inpatient: □ Hospit Type □ Other, specify | tal | | <u>ent</u> : □ Private p tric HIV clinic □ | - | | ediatric clir | _ | | | _ | cy room □ Laboratory ify | | |
| Date Form Completed | / / | | *Person Co | mpleting Fo | orm | | | * | Phone | | | | |
| IV. Patient Demographi | cs (reco | rd all date | es as mm/dd | /уууу) | | | | | , | | | | |
| Diagnostic Status at Report □ 4-Pediatric HIV □ 5-Pediatric | □ 3-Perinatric AIDS □ | tal HIV expo □ 6-Pediatrio | sure c seroreverter | Sex Assi | | t Birth nale □ U | nknown | | | | Other/US dependency | | |
| Date of Birth / / | | _ | | | | Alias Da | ate of Bi | rth | / | / | | | |
| Vital Status □ 1-Alive □ 2-De | ad | Date o | f Death | //_ | | | | State of | Death | | | | |
| Date of Last Medical Evaluation | on | _// | | | Date | of Initial | Evaluati | ion for HI | v | / | / | | |
| Gender Identity □ Boy □ G | | _ | - | gender girl | | | | | | | | | |
| ☐ Additional (| _ | | | | | | | | | | | | |
| ☐ Declined to Date Identified / | , | □ Unknow | n | | | | | | | | | | |
| Sexual Orientation Straigh | | sexual 🗆 | Lesbian or gav | / □ Bisex | ual | | | | | | | | |
| • | | orientation (| | | | | | | | | | | |
| □ Decline | ed to answe | er 🗆 Unkr | nown | | | | | | | | | | |
| Date Identified/_ | / | | | | | | | | | | | | |
| Ethnicity Hispanic/Latino | Unknown | | | | | xpanded | d Ethnicity | | | | | | |
| | | | ive □ Asian fic Islander □ | | | | E | xpanded | Race | | | | |
| V. Residence at Diagno | | | | | | | | s as mr | n/dd/yyy | у) | | | |
| Address Event Type (check all that apply to address | | Residence diagnosis | | Residence at (AIDS) diag | - | | lence at atal expo | | Residence pediatric | | ☐ Check if <u>SAME</u> as reverter current address | | |
| Address Type Residential *Street Address | □ Bad add | ress Co | rrectional facility | / □ Foster | home | □ Homele | ess 🗆 N | ⁄lilitary □ | Other [| □ Pos | tal Shelter Temporary | | |
| | | 0 | | | 04-4 | /O-1/ | | | | | *7ID 0 - 4 - | | |
| City | | County | | | State | /Country | | | | | *ZIP Code | | |
| Public reporting burden of this collection maintaining the data needed, and cominformation unless it displays a current reducing this burden to CDC. Project | pleting and r | eviewing the co | ollection of inform | ation. An agend | cy may n | ot conduct o | or sponsor, | and a pers | on is not rec | uired t | o respond to, a collection of | | |

This report to CDC is authorized by law (Sections 304 and 306 of the Public Health Service Act, 42 USC 242b and 242k). Response in this case is voluntary for federal government purposes but may be mandatory under state and local statutes. Your cooperation is necessary for the understanding and control of HIV. Information in CDC's National HIV Surveillance System that would permit identification of any individual on whom a record is maintained is collected with a guarantee that it will be held in confidence, will be used only for the purposes stated in the assurance, and will not otherwise be disclosed or released without the consent of the individual in accordance with Section 308(d) of the Public Health Service Act (42 USC 242m).

(Page 1 of 6)

VI. Facility of Diagnosis (add additional facilities in Comments) Diagnosis Type (check all that apply to facility below) ☐ HIV ☐ Stage 3 (AIDS) ☐ Perinatal exposure ☐ Check if SAME as facility providing information **Facility Name** *Phone (*Street Address City County State/Country *ZIP Code Facility Type <u>Inpatient</u>: □ Hospital Outpatient: ☐ Private physician's office ☐ Pediatric clinic Other Facility: ☐ Emergency room ☐ Laboratory ☐ Pediatric HIV clinic ☐ Other, specify _ □ Unknown □ Other, specify _ ☐ Other, specify _ *Provider Name *Provider Phone (Specialty VII. Patient History (respond to all questions) (record all dates as mm/dd/yyyy) Birthing person's HIV infection status (select one): Refused HIV testing Known to be uninfected after this child's birth □ Known HIV+ before pregnancy □ Known HIV+ during pregnancy □ Known HIV+ sometime before birth □ Known HIV+ at delivery ☐ Known HIV+ after child's birth ☐ HIV+, time of diagnosis unknown ☐ HIV status unknown Date of birthing person's first positive test result to confirm infection Child breastfed/chestfed by birthing person □ Yes □ No □ Unknown Child received premasticated/pre-chewed food from birthing person ☐ Yes ☐ No ☐ Unknown After 1977 and before the earliest known diagnosis of HIV infection, the birthing person had: Perinatally acquired HIV infection □ No □ Unknown Injected nonprescription drugs □ Unknown □ No Birthing person had HETEROSEXUAL relations with any of the following: HETEROSEXUAL contact with person who injected drugs □ Yes □ No □ Unknown HETEROSEXUAL contact with bisexual male □ Yes □ No □ Unknown HETEROSEXUAL contact with person with hemophilia/coagulation disorder with documented HIV infection □ Unknown □ Yes □ No HETEROSEXUAL contact with transfusion recipient with documented HIV infection □ No □ Unknown □ Yes HETEROSEXUAL contact with transplant recipient with documented HIV infection \square No □ Unknown HETEROSEXUAL contact with person with documented HIV infection, risk not specified □ Yes \square No □ Unknown Birthing person had: Received transfusion of blood/blood components (other than clotting factor) (document reason in Comments) ☐ Yes ☐ No □ Unknown Last date received Received transplant of tissue/organs or artificial insemination \square No □ Unknown Before the diagnosis of HIV infection, this child had: Injected nonprescription drugs □ Yes □ No □ Unknown Received clotting factor for hemophilia/coagulation disorder □ No □ Unknown Specify clotting factor: Date received _ Received transfusion of blood/blood components (other than clotting factor) (document reason in Comments) □ Yes □ No □ Unknown Last date received First date received Received transplant of tissue/organs □ Unknown □ Yes □ No Sexual contact with male □ Yes □ No □ Unknown Sexual contact with female ☐ Yes ☐ No ☐ Unknown Been breastfed/chestfed by non-birthing person □ Yes □ No □ Unknown Received premasticated/pre-chewed food from non-birthing person □ No □ Unknown □ Yes Other documented risk (include detail in Comments) □ Yes □ No □ Unknown VIII. Clinical: Opportunistic Illnesses (record all dates as mm/dd/yyyy) Diagnosis Dx Date Dx Date Dx Date Diagnosis Diagnosis Bacterial infection, multiple or recurrent Mycobacterium avium complex or M. HIV encephalopathy (including Salmonella septicemia) kansasii, disseminated or extrapulmonary Candidiasis, bronchi, trachea, or lungs Herpes simplex: chronic ulcers (>1 mo. duration), M. tuberculosis, pulmonary bronchitis, pneumonitis, or esophagitis Candidiasis, esophageal Histoplasmosis, disseminated or extrapulmonary M. tuberculosis, disseminated or extrapulmonary Carcinoma, invasive cervical Isosporiasis, chronic intestinal (>1 mo. duration) Mycobacterium, of other/unidentified species, disseminated or extrapulmonary Coccidioidomycosis, disseminated Kaposi's sarcoma Pneumocystis pneumonia or extrapulmonary Lymphoid interstitial pneumonia and/or Pneumonia, recurrent in 12 mo. period Cryptococcosis, extrapulmonary pulmonary lymphoid Cryptosporidiosis, chronic intestinal Lymphoma, Burkitt's (or equivalent) Progressive multifocal (>1 mo. duration) leukoencephalopathy Lymphoma, immunoblastic (or equivalent) Cytomegalovirus disease Toxoplasmosis of brain, onset at >1 mo. (other than in liver, spleen, or nodes) of age Cytomegalovirus retinitis (with loss Lymphoma, primary in brain Wasting syndrome due to HIV ¹If a diagnosis date is entered for either tuberculosis diagnosis above, provide RVCT Case Number:

IX. Laboratory Data (record additional tests and tests not specified below in Comments) (record all dates as mm/dd/yyyy)

| HIV Immunoassays | |
|---|---|
| TEST □ HIV-1 IA □ HIV-1/2 IA □ HIV-1/2 Ag/Ab □ HIV-2 IA | |
| Test Brand Name/Manufacturer | Lab Name |
| Facility Name | Provider Name |
| | |
| Result □ Positive □ Negative □ Indeterminate | Collection Date// |
| Testing Option (if applicable) □ Point-of-care test by provider □ Self-test, re- | sult directly observed by a provider ² □ Lab test, self-collected sample |
| TEST ☐ HIV-1/2 Ag/Ab differentiating immunoassay (differentiates between HI | V Ag and HIV Ab) |
| Test Brand Name/Manufacturer | Lab Name |
| Facility Name | Provider Name |
| • | |
| Result Overall: □ Reactive □ Nonreactive | Collection Date// |
| Analyte results: HIV-1 Ag: ☐ Reactive ☐ Nonreactive HIV-1/2 A | |
| Testing Option (if applicable) □ Point-of-care test by provider □ Self-test, res | sult directly observed by a provider ² \square Lab test, self-collected sample |
| TEST ☐ HIV-1/2 Ag/Ab and type-differentiating immunoassay (differentiates ar | |
| Test Brand Name/Manufacturer | Lab Name |
| Facility Name | |
| Result ³ Overall interpretation: Reactive Nonreactive Index Value | |
| | |
| Analyte results: HIV-1 Ag: □ Reactive □ Nonreactive □ Not report | |
| HIV-1 Ab: □ Reactive □ Nonreactive □ Reactive □ | |
| HIV-2 Ab: □ Reactive □ Nonreactive □ Reactive ı | |
| Testing Option (if applicable) □ Point-of-care test by provider □ Self-test, re- | |
| TEST HIV-1/2 type-differentiating immunoassay (supplemental) (differentiated | es between HIV-1 Ab and HIV-2 Ab) |
| Test Brand Name/Manufacturer | |
| | Provider Name |
| | |
| Result ⁴ Overall interpretation: □ HIV positive, untypable □ HIV-1 positive w | |
| | 1 indeterminate □ HIV-2 indeterminate □ HIV-1 positive □ HIV-2 positive |
| Analyte results: HIV-1 Ab: □ Positive □ Negative □ Indeterminate | Collection Date / / |
| HIV-2 Ab: ☐ Positive ☐ Negative ☐ Indeterminate | |
| Testing Option (if applicable) □ Point-of-care test by provider □ Self-test, res | sult directly observed by a provider ² Lab test, self-collected sample |
| TEST HIV-1 WB HIV-1 IFA HIV-2 WB | ,,, |
| | I oh Nomo |
| Test Brand Name/Manufacturer | |
| Facility Name | Provider Name |
| Result □ Positive □ Negative □ Indeterminate | Collection Date / / |
| Testing Option (if applicable) □ Point-of-care test by provider □ Self-test, re- | sult directly observed by a provider ² Lab test, self-collected sample |
| HIV Detection Tests | ,,, |
| | Lab Mana |
| TEST □ HIV-1/2 RNA NAAT (Qualitative) | Lab Name |
| Test Brand Name/Manufacturer | Provider Name |
| | _Collection Date / / |
| Result □ HIV-1 □ HIV-2 □ Both (HIV-1 and HIV-2) □ HIV, not differentiat | ed (HIV-1 or HIV-2) Neither (negative) |
| Testing Option (if applicable) □ Point-of-care test by provider □ Self-test, re | esult directly observed by a provider ² Lab test, self-collected sample |
| TEST ☐ HIV-1 RNA NAAT (Qualitative and Quantitative) | |
| Test Brand Name/Manufacturer | Lab Name |
| Facility Name | Provider Name |
| | |
| Result <i>Qualitative:</i> □ Reactive □ Nonreactive | Collection Date// |
| Analyte results: HIV-1 Quantitative: ☐ Detectable above limit ☐ Det | |
| | Copies/mL Log |
| Testing Option (if applicable) □ Point-of-care test by provider □ Self-test, re- | sult directly observed by a provider ² □ Lab test, self-collected sample |
| TEST ☐ HIV-1 RNA/DNA NAAT (Qualitative) ☐ HIV-1 culture ☐ HIV-2 RNA/ | DNA NAAT (Qualitative) HIV-2 culture |
| Test Brand Name/Manufacturer | Lab Name |
| Facility Name | Provider Name |
| | |
| Result □ Positive □ Negative □ Indeterminate | Collection Date// |
| Testing Option (if applicable) □ Point-of-care test by provider □ Self-test, re- | sult directly observed by a provider ² \square Lab test, self-collected sample |
| TEST □ HIV-1 RNA/DNA NAAT (Quantitative) □ HIV-2 RNA/DNA NAAT (Qu | antitative) |
| Test Brand Name/Manufacturer | Lab Name |
| Facility Name | Provider Name |
| Result □ Detectable above limit □ Detectable within limits □ Detectable belo | |
| Collection Date | w little i Not detected Copies/IIIL Log |
| Collection Date / / | ault directly observed by a provider? |
| Person Besisters as Tests (Oscillation) — Point-or-care test by provider — Self-test, re- | Suit directly observed by a provider 🗀 Lab test, self-collected sample |
| Drug Resistance Tests (Genotypic) | |
| TEST □ HIV-1 Genotype (Unspecified) | Test Brand Name/Manufacturer |
| Lab Name | Facility Name |
| Provider Name | |
| Flovide Name | |
| Immunologic Tests (CD4 count and percentage) | |
| CD4 count cells/μL CD4 percentage % | Collection Date / / |
| Test Brand Name/Manufacturer | Lab Name |
| Facility Name | Provider Name |
| reacoury mande | FIUVIUEI INAITIE |

IX. Laboratory Data (record additional tests and tests not specified below in Comments) (record all dates as mm/dd/yyyy) (cont) **Documentation of Tests** Did documented laboratory test results meet approved HIV diagnostic algorithm criteria? ☐ Yes ☐ No ☐ Unknown If YES, provide specimen collection date of earliest positive test result for this algorithm Complete the above only if none of the following were positive for HIV-1: Western blot, IFA, culture, quantitative NAAT (RNA or DNA), qualitative NAAT (RNA or DNA), HIV-1/2 type-differentiating immunoassay (supplemental test), stand-alone p24 antigen, or nucleotide sequence. **HIV-infected** Is earliest evidence of diagnosis ☐ Yes ☐ No ☐ Unknown Date of diagnosis by physician documented by a physician rather Not HIV-infected ☐ Yes ☐ No ☐ Unknown Date of diagnosis by physician than by laboratory test results? ²Results not directly observed by a provider should be recorded in HIV Testing History. ³Complete the overall interpretation and the analyte results. ⁴Always complete the overall interpretation. Complete the analyte results when available. X. Birth History (for patients exposed perinatally with or without consequent infection) Birth history available? ☐ Yes ☐ No ☐ Unknown Address Type ☐ Residential ☐ Bad address ☐ Correctional facility ☐ Foster home ☐ Homeless ☐ Military □ Other □ Postal □ Shelter □ Temporary *Street Address City County State/Country *ZIP Code ☐ Check if SAME as facility providing information **Facility of Birth Facility Name of Birth** *Phone (if child was born at home, enter "home birth") **Facility Type** *Inpatient*: □ Hospital Outpatient: Other Facility: ☐ Emergency room ☐ Corrections ☐ Unknown ☐ Other, specify_ □ Other, specify ☐ Other, specify *Street Address Citv County State/Country *ZIP Code **Birth History** Birth Weight grams Type □ 1-Single □ 2-Twin □ 3-More than two □ 9-Unknown **Delivery** □ Vaginal □ Cesarean □ Unknown If Cesarean delivery, mark all the following indications that apply. ☐ HIV indication (high viral load) □ Previous Cesarean (repeat) □ Malpresentation (breech, transverse) ☐ Prolonged labor or failure to progress ☐ Birthing person's or physician's preference □ Fetal distress □ Placenta abruptia or p. previa □ Other (e.g., herpes, disproportion) (Specify) □ Not specified **Birth Information** Date Time (use military time: noon = 12:00; midnight = 00:00) Rupture of membranes Delivery **Congenital Disorders** □ Yes □ No □ Unknown If YES, specify types Neonatal Gestational Age in Weeks Neonatal Status □ 1-Full-term □ 2-Premature □ 9-Unknown (99 = Unknown, 00 = None) Was a toxicology screen Result Date of screen **Positive** Unknown done on the infant Not screened Negative after birth? Alcohol □ Yes □ No □ Unknown **Amphetamines** (If screening for the same Barbiturates П substance was done on Benzodiazepines П П П П more than one occasion. Cocaine П П П П record additional dates and Crack cocaine П П results in Comments) Fentanyl Hallucinogens П Heroin П П K2 П П П П Marijuana П П П (cannabis, THC, cannabinoids) Methadone Methamphetamines Nicotine (any tobacco) Opiates П П PCP Other (specify) П Specific drug(s) not documented

| Birthing Person Date of Birth/ | or patients exposed | | | | • | | | | | |
|---|-------------------------|--------------------------|--|--------------------------------------|-----------------------|-----------------------|--|--|--|--|
| | | | | | | | | | | |
| Birthing Person Country of Birth | | | Birthing Person State ID Number *Other Birthing Person ID (specify type of ID and ID number) | | | | | | | |
| Birthing Person City/County ID Numl | per | | *Other Birthi | ing Person ID (speci | ty type of ID and ID | number) | | | | |
| Prenatal Care—Month of Pregnancy (99 = Unknown, 00 = None) | Prenatal Care Began | | | re—Total Number of vn, 00 = None) | Prenatal Care Visits | | | | | |
| Has the birthing person ever been preg | | fy how many pre | | | _ | | | | | |
| before this pregnancy? Include previou | IS Live | | | (select one) | | | | | | |
| pregnancies that ended in a live birth, | | | lage or Stillbirt | th Induced abortio | n (9999 = Unkn | own) | | | | |
| miscarriage, stillbirth, or induced abort | ion. '. ii. | | | | | | | | | |
| □ Yes □ No □ Unknown | iii. | | | | | | | | | |
| | | | | | | _ | | | | |
| | V. | | | | | _ | | | | |
| Was a test result (with a specimen co | | nal pregnancy out | | | he hirthing person's | labor/delivery record | | | | |
| CD4 □ Yes □ No □ Unknown | Quantitative NAAT (R | NA or DNA) 🗆 Y | 'es □ No □ | Unknown | | labor/activery record | | | | |
| Did birthing person receive any antir | | | | | Unknown | | | | | |
| Date began / / / | _ Date of last | use / | _/ | - | | | | | | |
| If YES, specify all ARVs | | | | | | | | | | |
| Did birthing person receive any ARV | s during this pregnanc | y? □ Yes □ N | o □ Refused | □ Unknown | | | | | | |
| Date began / / / | Date of last | use / | | | | | | | | |
| If YES, specify all ARVs | | | | - | | | | | | |
| If NO, select reason No prenatal ca | | nown to be HIV-n | egative during | nregnancy Ilnkno | nwn | | | | | |
| ☐ HIV serostatus of birthing person unk | nown Other (specify |) | oganvo dannig | , programoy = orman | | | | | | |
| Did birthing person receive any ARV | s during labor/delivery | ? □ Yes □ No | □ Refused | □ Unknown | | | | | | |
| Date began// | | use / | | | | | | | | |
| If YES, specify all ARVs | - | | | - | | | | | | |
| If NO, select reason □ Precipitous de | livery/STAT Cesarean c | lalivary HIV se | aroetatus of his | thing person unknow | n □ Rirth not in hose | ital | | | | |
| ☐ Birthing person tested HIV negative of | luring pregnancy Oth | ner (specify) | erostatus or bii | tilling person unknow | | □ Unknow | | | | |
| Was the birthing person screened fo | rany of the following o | onditions durin | a this proapa | nov2 | | | | | | |
| Check test(s) performed before | | onations during | g this pregna | ncy? | | | | | | |
| Yes | Date of screen (mm/c | ld/vvvv) | No Unk | nown | | | | | | |
| | | | | | | | | | | |
| Hepatitis B (HBsAg) | | | | | | | | | | |
| Group B strep □ Hepatitis B (HBsAg) □ Rubella □ | | | | | | | | | | |
| Syphilis | | | | | | | | | | |
| Were any of the following conditions d | | | hie prognancy | or at the time of labo | or and dolivory? | | | | | |
| were any or the following conditions a | | l iagnosis (mm/do | | | or and delivery: | | | | | |
| Bacterial vaginosis | | nagnosis (mim/do | | | | | | | | |
| Chlamydia trachomatis infection | / | | | | | | | | | |
| Genital herpes | | | | | | | | | | |
| Gonorrhea | / | | | | | | | | | |
| Group B strep | / | | | | | | | | | |
| Hepatitis B (HBsAg) | / | | | | | | | | | |
| Hepatitis C | / | | | | | | | | | |
| PID | / | | | | | | | | | |
| | / | | | | | | | | | |
| Syphilis Trichomoniasis | // | | | | | | | | | |
| Were substances used by the birthin | | rogpapov2 ¬ Vo | | nknown | | | | | | |
| were substances used by the birthin | g person during tins p | regularity: 1 Te | | Used and unknown | | | | | | |
| AL | Used and injected | | d not inject | if injected | Did not use | Unknown if used | | | | |
| Alcohol | | | | | | | | | | |
| Amphetamines | | | | | | | | | | |
| Barbiturates | | | | | | | | | | |
| Benzodiazepines | | | | | | | | | | |
| Cocaine | | | 1 | | | | | | | |
| Crack cocaine | | | <u> </u> | | | | | | | |
| Fentanyl | | | 1 | | | | | | | |
| Hallucinogens | | | 1 | | | | | | | |
| Heroin | | | 1 | | | | | | | |
| K2 | | | 1 | | | | | | | |
| Marijuana (cannabis, THC, cannabinoids) | | | 1 | | | | | | | |
| Methadone | | | 1 | | | | | | | |
| Methamphetamines | | | | | | | | | | |
| Nicotine (any tobacco) | | | 1 | | | | | | | |
| Opiates | | | | | | | | | | |
| PCP | | | | | | | | | | |
| Other (specify) | | | | | | | | | | |
| Specific drug(s) not documented | | | | | | | | | | |
| | | _ | | | | | | | | |
| CDC 50.42B | Rev. MM/YYYY | (Page 5 of 6) | г | PEDIATRIC HIV CONF | IDENTIAL CASE DED | DRT | | | | |

| XI. Birthing Person History Was a toxicology screen done on | <u> </u> | | | | - | | | | | | (nown |
|---|----------|--------|----------|------|-----------|---------------|-----------|-------------------|------------|------------------|---------------------|
| (If screening for the same substance | | | | | | | | | | | Known |
| (ii soreering for the same substance | was ac | | Not scre | | 000001011 | Date of scre | | Positive | ,011111101 | Negative | Unknown |
| Alcohol | | | | | | | | | | | |
| Amphetamines | | | | | | //_ | | | | | |
| Barbiturates | | | | | | //_ | | | | | |
| Benzodiazepines | | | | | | //_ | | | | | |
| Cocaine | | | | | | //_ | | | | | |
| Crack cocaine | | | | | | //_ | | | | | |
| Fentanyl | | | | | | //_ | | | | | |
| Hallucinogens | | | | | | //_ | | | | | |
| Heroin | | | | | | //_ | | | | | |
| K2 | | | | | | //_ | | | | | |
| Marijuana (cannabis, THC, cannabinoids | s) | | | | | //_ | | | | | |
| Methadone | | | | | | // | | | | | |
| Methamphetamines | | | | | | // | | | | | |
| Nicotine (any tobacco) | | | | | | | | | | | |
| Opiates | | | | | | //_ | | | | | |
| PCP | | | | | | / / | | | | | |
| Other (specify) | | | | | | / / | | | | | |
| Specific drug(s) not documented | | | | | | / / | | | | | |
| (II. Treatment/Services Re | | | | | | | | | | | |
| Has this child ever taken any ARV | | | | | | | | | | | |
| ARV medication | | | | D. | accon for | | | Doto hogo | n | Data | of last use |
| Any illedication | | | | | eason for | | | Date bega | " | Date | ii iasi use |
| | HIV Tx | PrEP | PEP | PMTC | T HBV Tx | Other (specif | y reason) | | | | |
| i | | | | | | | | / | / | | // |
| i | | | | | | | | / | / | | / / |
| | | | | | | □ | | | | | ′′ |
| ii | | | | | | | | / | _/ | | // |
| iv. | П | | П | П | | П | | / | / | | / / |
| | | | | | | <u> </u> | | | | | |
| V | | | | | | | | / | _/ | | // |
| Record additional ARV medications in C | | | | | | | | | | | |
| Has this child ever taken PCP pro | phylaxi | is 🗆 Y | es 🗆 | No 🗆 | Unknown | Date began | / | _/ | Date | e of last use | _ / / |
| This child's primary caretaker is | | _ | | | | | | tive parent, rela | | □ 4–Foster/Adopt | ive parent, unrelat |
| (III. Comments | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| (IV. *Local/Optional Fields | | | | | | | | | | | |
| iv. Local/Optional Fields |) | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |