

2013-2015 LA HOPE Surveys

Domain/Subdomain		<i>Tobacco, Alcohol & Substance Use / Smoking</i>					<i>Tobacco, Alcohol & Substance Use / Alcohol Consumption</i>			<i>Tobacco, Alcohol & Substance Use / Secondhand Smoke Exposure</i>			
Indicator Description		Percentage of women having an infant/fetal death who smoked during pregnancy.			Percentage of women having an infant/fetal death who smoked cigarettes during the six months prior to pregnancy.			Percentage of women having an infant/fetal death who drank any amount of alcohol during pregnancy.			Percentage of women having an infant/fetal death who reported that during their pregnancy they have been exposed to secondhand smoke.		
		%	95% CI		%	95% CI		%	95% CI		%	95% CI	
LA County		4.4	2.9	5.9	10.6	8.3	12.9	8.0	6.1	9.8	6.8	4.9	8.6
Race/Ethnicity	White	6.6*	1.6	11.6	11.8*	5.6	18.0	19.5	12.6	26.4	5.7*	1.1	10.3
	Latina	2.7*	1.2	4.2	7.1	4.8	9.4	5.5	3.5	7.4	5.3	3.2	7.3
	African-American	10.8*	4.9	16.7	21.3	13.3	29.2	9.4*	4.1	14.7	15.7	8.7	22.8
	Asian/Pacific Islander	2.1*	0.0	6.2	18.7*	5.7	31.6	3.4*	0.0	10.1	2.1*	0.0	6.2
Service Planning Areas	SPA 1 Antelope Valley	5.0*	0.0	10.6	10.8*	2.0	19.6	3.9*	0.0	9.1	6.0*	0.0	13.5
	SPA 2 San Fernando	4.6*	1.1	8.1	11.6	6.5	16.8	11.4	6.7	16.2	8.1*	3.9	12.4
	SPA 3 San Gabriel	2.8*	0.0	6.0	9.5*	3.1	15.9	6.3*	1.9	10.7	5.9*	1.1	10.7
	SPA 4 Metro	2.2*	0.0	5.3	2.6*	0.0	5.7	10.2*	3.3	17.2	5.8*	0.9	10.7
	SPA 5 West	-	-	-	8.1*	0.0	16.2	13.1*	3.4	22.8	1.3*	0.0	4.0
	SPA 6 South	8.6*	3.9	13.3	16.2	10.0	22.3	7.1*	3.3	10.9	12.1	6.6	17.5
	SPA 7 East	4.1*	0.1	8.1	11.3*	4.7	17.8	6.4*	1.2	11.6	4.6*	0.6	8.5
	SPA 8 South Bay	1.8*	0.0	3.8	7.6*	2.2	13.0	6.4*	2.4	10.3	1.8*	0.0	3.8

(-) = null value

*The estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

[For more information about LA HOPE project please click here](#)